

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6167167".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:10
S2	1390	((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) with (pixel)) same ("R-G" or "r-g" or "r - g" or ((difference) with (red or green or blue or r or g or b) with (neighbor\$5 or neighbour\$5 or adjacent or contiguous or nearby)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:15
S3	60	((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) with (pixel)) same ("R-G" or "r-g" or "r - g" or ((difference) with (red or green or blue or r or g or b) with (neighbor\$5 or neighbour\$5 or adjacent or contiguous or nearby)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:16
S4	7	S3 and (("R-G" or "r-g" or "r - g" or ((difference) with (red or green or blue or r or g or b) with (neighbor\$5 or neighbour\$5 or adjacent or contiguous or nearby))) same rang \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:17

S5	9	((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ("R-B" or "r-b" or "R - B" or "r - b" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:24
S6	2	S5 and rang\$5 same ("R-B" or "r-b" or "R - B" or "r - b" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:38
S7	10	((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ("R-B" or "r-b" or "R - B" or "r - b" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:39
S8	2	S7 and rang\$5 same ("R-B" or "r-b" or "R - B" or "r - b" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:39
S9	270	((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ((difference with (r or red) with (blue or b)) or "R-B" or "r-b" or "R - B" or "r - b" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:48
S10	50	S9 and rang\$5 same ((difference with (r or red) with (blue or b)) or "R-B" or "r-b" or "R - B" or "r - b" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:48
S11	32	S10 and (("R-G" or "r-g" or "r - g" or "R - G" or ((difference with (red or r) with (green or g))) same rang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:50

S12	271	((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ((difference with (r or red) with (blue or b)) or "R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:51
S13	207	S12 and ((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ((difference with (r or red) with (green or g)) or "R-G" or "r-g" or "R - G" or "r - g" or "G-R" or "g-r" or "G - R" or "g - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:52
S14	205	S13 and ((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ((difference with (blue or b) with (green or g)) or "B-G" or "b-g" or "B - G" or "b - g" or "G-B" or "g-b" or "G - B" or "g - b")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:54
S15	33	S14 and rang\$5 same ((difference with (r or red) with (blue or b)) or "R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:55
S16	30	S15 and rang\$5 same ((difference with (r or red) with (green or g)) or "R-G" or "r-g" or "R - G" or "r - g" or "G-R" or "g-r" or "G - R" or "g - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:55

S17	30	S16 and rang\$5 same ((difference with (blue or b) with (green or g)) or "B-G" or "b-g" or "B - G" or "b - g" or "G-B" or "g-b" or "G - B" or "g - b")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 11:56
S18	1	S17 and ( "R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 12:18
S19	17	S14 and ( "R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 12:19
S20	3	S14 and ( "R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") same (bmax or (b near3 max\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 12:21
S21	14	((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 12:47
S22	12	S21 and ((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ("R-G" or "r-g" or "R - G" or "r - g" or "G-R" or "g-r" or "G - R" or "g - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 12:47

S23	7	S22 and ((detect\$5 or judg\$5 or discriminat\$5) with (color or hue) same (pixel)) same ("B-G" or "b-g" or "B - G" or "b - g" or "G-B" or "g-b" or "G - B" or "g - b")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 12:48
S24	22	("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") with rang\$5 same (color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 13:40
S25	12	("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") with rang\$5 same detect\$5 same (color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 13:41
S26	14	("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") with compar\$5 same detect\$5 same (color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 13:44
S27	2	"5689590".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 13:53
S28	0	"5689590".pn. and th2 with white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 14:27
S29	0	"5689590".pn. and th2 same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 14:27
S30	1	"5689590".pn. and th2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 14:27

S31	1	"5689590".pn. and th2 same1 white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 14:28
S32	0	("R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") with (greater or less or equal) same (rang\$5 or threshold) same (detect\$5 or discriminat\$5 or judg \$5) same (color or hue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 14:55
S33	10	("R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") with (greater or less or equal) and (rang\$5 or threshold) same (detect\$5 or discriminat\$5 or judg \$5) same (color or hue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 14:56
S34	0	("R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same ("R- Bmin" or "r-bmin" or "R - Bmin" or "r - bmin" or "Bmin-R" or "bmin-r" or "Bmin - R" or "bmin - r") same ("R-Bmax" or "r-bmax" or "R - Bmax" or "r - bmax" or "Bmax-R" or "bmax-r" or "Bmax - R" or "bmax - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:00

S35	0	( "R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same ("R- B min" or "r-b min" or "R - B min" or "r - b min" or "B min-R" or "b min-r" or "B min - R" or "b min - r") same ("R-Bmax" or "r-bmax" or "R - Bmax" or "r - bmax" or "Bmax-R" or "bmax-r" or "Bmax - R" or "bmax - r")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:01
S36	22	( "R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same ((b or blue) near4 (min or minimum)) same ((b or blue) near4 (max or maximum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:02
S37	10	S36 and ((detect\$5 or judg\$5 or discriminat\$5) near4 (color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:03
S38	2	( "R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same (bmin or bmax)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:05
S39	0	( "R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same (r-bmin or r-bmax)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:07
S40	0	( "R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same (r"-bmin or r"-bmax)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:07

S41	0	("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") same ("r-bmin" or "r-bmax")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:07
S42	0	("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") same ("r-bmin" or "r-bmax")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:07
S43	0	("Ri-Bi" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") same ("r-b min" or "r-bmax")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:07
S44	0	("Ri-Bi" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") same ("R-B min" or "r-bmax")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:08
S45	49	("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") same ((detect\$5 or judg\$5 or discriminat\$5) near4 (color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:08
S46	6	("R-B" or "r-b" or "R - B" or "r - b" or "B-R" or "b-r" or "B - R" or "b - r") same ((detect\$5 or judg\$5 or discriminat\$5) near4 (specific or predetermined or designat\$5 or chosen or select\$5) near4(color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:21



S47	4	("R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same ((within or inside or satisf\$7) near4 rang \$5) same ( (specific or predetermined or designat\$5 or chosen or select\$5) near4(color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:24
S48	4	("R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same ((within or inside or satisf\$7 or compar \$5 or match\$5) near4 rang\$5) same ( (specific or predetermined or designat\$5 or chosen or select\$5) near4(color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:30
S49	7	("R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same (rang \$5) same ( (specific or predetermined or designat\$5 or chosen or select\$5) near4(color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:30
S50	7	("R-B" or "r-b" or "R - B" or "r - b" or "B- R" or "b-r" or "B - R" or "b - r") same (rang \$5) same ( (specific or predetermined or designat\$5 or chosen or select\$5) near4 (color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:35

S51	2	("R-B" or "r-b" or "R-B" or "r-b" or "B-R" or "b-r" or "B-R" or "b-r") same (rang\$5) same ( (determinat\$5 or judg\$5 or discriminat\$5) near4 (color or hue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 15:36
S52	0	((detect\$5 or judg\$5 or discriminat\$5) near4 (color or hue)) same (difference with (r or g or b or red or green or blue) with (object or subject or center or central) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same rang\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:05
S53	4	((detect\$5 or judg\$5 or discriminat\$5) near4 (color or hue)) same (difference with (r or g or b or red or green or blue) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same rang\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:06
S54	5	((detect\$5 or judg\$5 or discriminat\$5) near4 (color or hue)) same ((gradient or change or difference or differential) with (r or g or b or red or green or blue) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same rang\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:09

S55	6	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (color or hue)) same ((gradient or change or difference or differential) with (r or g or b or red or green or blue) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same rang\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:09
S56	48	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same rang\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:11
S57	4	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same rang\$5 same (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:12

S58	13	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (threshold or rang\$5) same (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:13
S59	36	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (threshold or rang\$5) same3 (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:13
S60	4	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same ((max or maximum) near4 (gradient or change or difference or differential)) same ((min or minimum) near4 (gradient or change or difference or differential))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:19

S61	4	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (pattern or color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (color or hue or rgb or (r near3 g near3 b)) same ((max or maximum) near4 (gradient or change or difference or differential)) same ((min or minimum) near4 (gradient or change or difference or differential))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:23
S62	26	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (pattern or color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (color or hue or rgb or (r near3 g near3 b)) and ((max or maximum) near4 (gradient or change or difference or differential)) same ((min or minimum) near4 (gradient or change or difference or differential))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:23

S63	2	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (pattern or color or hue)) same ((gradient or change or difference or differential) with (neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (color or hue or rgb or (r near3 g near3 b) and ((max or maximum) near4 (gradient or change or difference or differential) with (compar\$5)) same ((min or minimum) near4 (gradient or change or difference or differential) with compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:39
S64	2	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (pattern or color or hue)) same ((gradient or change or difference or differential) with (surround\$5 or neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (color or hue or rgb or (r near3 g near3 b) and ((max or maximum) adj4 (gradient or change or difference or differential)) same compar\$5 same ((min or minimum) adj4 (gradient or change or difference or differential) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:42

S65	2	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (pattern or color or hue)) same ((gradient or change or difference or differential) with (surround\$5 or neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (color or hue or rgb or (r near3 g near3 b)) and ((max or maximum) adj4 (gradient or change or difference or differential)) same rang\$5 same ((min or minimum) adj4 (gradient or change or difference or differential) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:43
S66	7	"843703".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:45
S67	21	((detect\$5 or judg\$5 or discriminat\$5 or specific or designate \$5) near4 (pattern or color or hue)) same ((gradient or change or difference or differential) with (surround\$5 or neighbor\$5 or neighbour\$5 or adjacent or nearby)) same (color or hue or rgb or (r near3 g near3 b)) and ((max or maximum) same (gradient or change or difference or differential) same rang\$5 same (min or minimum) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/22 16:47

**1/28/09 1:46:09 PM**

**C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\09843703.012209.  
wsp**